




**CFX**<sup>TM</sup>  
CRANIOMAXILLOFACIAL



*Rethinking Possibilities, Reshaping Lives*



## RETHINKING POSSIBILITIES, RESHAPING LIVES

At OsteoMed, we work alongside surgeons who devote their lives to improving those of others. Our goal: rethinking the possibilities that have the power to reshape lives.

With a spirit of innovation and a relentless focus on quality, we offer surgeons a wide range of choices for neurosurgical and craniomaxillofacial procedures.





OsteoMed Angle Locking Fixation System provides surgeons with up to 20 degrees of angulation in the 2.0mm and 2.4mm plate and screw options.




UNIQUE • VERSATILE • COMPREHENSIVE

## Interchangeable Blocks

The OsteoMed Cfx System is comprised of plates, screws and instrumentation used for fixation of craniofacial, maxillofacial and mandibular fractures. This single tray meets the rigid fixation needs of all craniomaxillofacial surgery applications, from pediatric craniofacial surgery to adult mandibular trauma.



1.2mm/1.6mm




2.0mm



2.0mm/2.4mm  
Angle Locking Fracture





Rethinking Possibilities, Reshaping Lives




## 1.2mm & 1.6mm

Indications include but are not limited to:

- Cranioplasty
- Craniostylosis
- Craniotomies
- Midface fractures
- LeFort I, II, and III
- Segmental Maxilla






# 2.0mm System



Indications include but are not limited to:

- Mandible and midface fractures
- LeFort I, II and III
- BSSO
- Genioplasty
- Segmental osteotomies





220-0452 - 2.0 DRILL GUIDE  
220-0453 - 2.4 DRILL GUIDE

ANGULATED LOCKING SCREWS

- STANDARD  
225-20XX (2.0)  
225-24XX (2.4)
- AUTO-DRIVE  
223-20XX (2.0)  
223-24XX (2.4)
- SAFETY  
225-23XX (2.0)  
225-27XX (2.4)

NON-LOCKING SCREWS

- STANDARD  
202-20XX (2.0)  
206-24XX (2.4)
- AUTO-DRIVE  
211-20XX (2.0)


2.0 MMF SCREWS  
209-20XX

2.4 MMF SCREWS  
207-24XX



## 2.0mm/2.4mm Angle Locking

- Indications include but are not limited to:
- Trauma
  - Angle fractures
  - External oblique ridge fractures
  - Body fractures
  - Symphysis / Parasymphysis fractures
  - Condylar head fractures



**PUSH**

# 1.2mm Module

## 1.2mm Screws

### 1.2 Standard Screws



P/N	Description
204-1202	1.2mm x 2mm Screw
204-1203	1.2mm x 3mm Screw
204-1204	1.2mm x 4mm Screw
204-1206	1.2mm x 6mm Screw
204-1208	1.2mm x 8mm Screw
204-1210	1.2mm x 10mm Screw
204-1212	1.2mm x 12mm Screw
204-1214	1.2mm x 14mm Screw

### 1.2 Auto-Drive® Screws



P/N	Description
211-1203	1.2mm X 3mm Auto-Drive® Screw
211-1204	1.2mm x 4mm Auto-Drive® Screw
211-1205	1.2mm x 5mm Auto-Drive® Screw


### 1.5 Safety Screws




P/N	Description
204-1503	1.5mm x 3mm Safety Screw
204-1506	1.5mm x 6mm Safety Screw

## 1.2mm Plates

212-0030 7 Hole "Y" Plate



212-0032 "H" Plate



212-0041 Short 2 x 4 Hole Quad Plate  
212-0069 Medium 2 x 4 Hole Quad Plate  
212-0040 2 x 4 Hole Quad Plate




212-0044 13mm Left "L" Plate  
212-0048 16mm Left "L" Plate  
212-0046 13mm Right "L" Plate  
212-0050 16mm Right "L" Plate




212-1030 Micro 4 Hole Straight Plate  
212-1032 Micro 8 Hole Straight Plate  
212-0039 10 Hole Straight Plate  
212-0034 18 Hole Straight Plate



212-0068 "X" Plate




212-0062 Large Bur Hole Plate




212-0036 12 Hole Curved Plate



212-1040 Micro 6 Hole Double "Y" Plate



212-0080 Orbital Plate  
212-0086 Orbital Floor Plate, Large



212-0042 37 x 50mm Mesh Plate

Plates are not actual size

# 1.6mm Module

## 1.6mm Screws

### 1.6 Standard Screws



P/N	Description
208-1603	1.6mm x 3mm Screw
208-1604	1.6mm x 4mm Screw
208-1605	1.6mm x 5mm Screw
208-1606	1.6mm x 6mm Screw
208-1608	1.6mm x 8mm Screw
208-1610	1.6mm x 10mm Screw
208-1612	1.6mm x 12mm Screw
208-1614	1.6mm x 14mm Screw

### 1.6 Auto-Drive® Screws



P/N	Description
211-1604	1.6mm x 4mm Auto-Drive® Screw
211-1605	1.6mm x 5mm Auto-Drive® Screw
211-1606	1.6mm x 6mm Auto-Drive® Screw
211-1608	1.6mm x 8mm Auto-Drive® Screw


### 1.9 Safety Screws




P/N	Description
208-1904	1.9mm x 4mm Safety Screw
208-1905	1.9mm x 5mm Safety Screw
208-1906	1.9mm x 6mm Safety Screw
208-1908	1.9mm x 8mm Safety Screw

## 1.6mm Plates


213-0000 13mm Right "L" Plate  
213-0001 13mm Left "L" Plate  
213-0002 15mm Right "L" Plate  
213-0003 15mm Left "L" Plate  
213-0004 22mm Right "L" Plate  
213-0005 22mm Left "L" Plate




213-0010 15mm 5 Hole "Y" Plate



213-0040\* Right "L" Plate, 6mm, Rigid  
213-0041\* Left "L" Plate, 6mm, Rigid  
213-0042\* Right "L" Plate, 8mm, Rigid  
213-0043\* Left "L" Plate, 8mm, Rigid  
213-0044\* Right "L" Plate, 10mm, Rigid  
213-0045\* Left "L" Plate, 10mm, Rigid  
213-0046\* Right "L" Plate, 12mm, Rigid  
213-0047\* Left "L" Plate, 12mm, Rigid



213-0006 9mm Right ZED Plate  
213-0007 9mm Left ZED Plate  
213-0008 11mm Right ZED Plate  
213-0009 11mm Left ZED Plate




218-0038 10 Hole Straight Plate  
213-0031 1.6mm, Straight Plate, 18 Hole  
213-0019\* 1.6mm Rigid Straight Plate, 10 Hole




### 1.6mm Curved Plates

213-0011 10 Hole Curved Plate  
213-0018 10 Hole Curved Plate, Rigid



218-0028 Double "Y" Plate



Plates are not actual size  
\*indicates the plate is rigid

# 2.0mm Organizer Module

## 2.0mm Screws

### 2.0 Standard Screws



P/N	Description
202-2004	2.0mm x 4mm Screw
202-2005	2.0mm x 5mm Screw
202-2006	2.0mm x 6mm Screw
202-2008	2.0mm x 8mm Screw
202-2010	2.0mm x 10mm Screw
202-2012	2.0mm x 12mm Screw
202-2014	2.0mm x 14mm Screw
202-2016	2.0mm x 16mm Screw
202-2018	2.0mm x 18mm Screw
202-2020	2.0mm x 20mm Screw
202-2022	2.0mm x 22mm Screw

### 2.0 Auto-Drive® Screws




211-2004	2.0mm x 4mm Auto-Drive® Screw
211-2005	2.0mm x 5mm Auto-Drive® Screw
211-2006	2.0mm x 6mm Auto-Drive® Screw
211-2008	2.0mm x 8mm Auto-Drive® Screw

### 2.0 MMF Auto-Drive® Screws



209-2008	2.0mm x 8mm MMF Auto-Drive® Screw
209-2011	2.0mm x 11mm MMF Auto-Drive® Screw
209-2014	2.0mm x 14mm MMF Auto-Drive® Screw



220-0596 2.0 plate organizer


### 2.3 Safety Screws




202-2304	2.3mm x 4mm Safety Screw
202-2305	2.3mm x 5mm Safety Screw
202-2306	2.3mm x 6mm Safety Screw
202-2308	2.3mm x 8mm Safety Screw
202-2310	2.3mm x 10mm Safety Screw

## 2.0mm Plates


210-0006	15mm Right "L" Plate
210-0206*	15mm Right "L" Rigid Plate
210-0008	15mm Left "L" Plate
210-0208*	15mm Left "L" Rigid Plate
210-0010	18mm Right "L" Plate
210-0210*	18mm Right "L" Rigid Plate
210-0012	18mm Left "L" Plate
210-0212*	18mm Left "L" Rigid Plate
210-0014	23mm Right "L" Plate
210-0214*	23mm Right "L" Rigid Plate
210-0016	23mm Left "L" Plate
210-0216*	23mm Left "L" Rigid Plate



210-0081	Extended Right "L" Plate
210-0082	Extended Left "L" Plate



210-0020	15mm Right ZED Plate
210-0220*	15mm Right ZED Rigid Plate
210-0022	15mm Left ZED Plate
210-0222*	15mm Left ZED Rigid Plate
210-0024	18mm Right ZED Plate
210-0224*	18mm Right ZED Rigid Plate
210-0026	18mm Left ZED Plate
210-0226*	18mm Left ZED Rigid Plate




210-0035	16mm "I" Plate
210-0235*	16mm "I" Rigid Plate



210-0030	24mm 4 Hole Straight Plate
210-0230*	24mm 4 Hole Straight Rigid Plate
210-0032	10 Hole Straight Plate
210-0232*	10 Hole Straight Rigid Plate
210-0034	16 Hole Straight Plate
210-0038	18 Hole Straight Plate



P/N	Description
210-1021	Mini, 34 Hole Strip
210-1022*	Mini, 68 Hole Strip, Rigid



210-1030	Mini, 4 Hole Straight Plate, 1.0mm
210-1031	Mini, 6 Hole Straight Plate, 1.0mm
210-1013	12 Hole Straight Plate, 1.0mm Thick



214-0084	Short 4 Hole BSSO Plate
214-0080	Medium 4 Hole BSSO Plate
214-0082	Long 4 Hole BSSO Plate



214-0099	Short 6 Hole BSSO Plate
214-0100	Medium 6 Hole BSSO Plate




210-0102	4 Hole Compression Plate
210-0106	6 Hole Compression Plate



210-0108	5 Hole Curved Plate
210-0110	7 Hole Curved Plate
210-0112	9 Hole Curved Plate



210-0041	2mm Chin Plate	210-0044	8mm Chin Plate
210-0043	3mm Chin Plate	210-0064	9mm Chin Plate
210-0040	4mm Chin Plate	210-0046	10mm Chin Plate
210-0062	5mm Chin Plate	210-0065	11mm Chin Plate
210-0042	6mm Chin Plate	210-0048	12mm Chin Plate
210-0063	7mm Chin Plate		



210-0236*	Y Rigid Plate
-----------	---------------



210-0018	26mm "Y" Plate
210-0218*	26mm "Y" Rigid Plate





# 2.0mm/2.4mm Angle Locking Module


## 2.0/2.4mm Non-Locking Screws

### 2.0 Standard Screws

P/N	Description
202-2004	2.0mm x 4mm Screw
202-2005	2.0mm x 5mm Screw
202-2006	2.0mm x 6mm Screw
202-2008	2.0mm x 8mm Screw
202-2010	2.0mm x 10mm Screw
202-2012	2.0mm x 12mm Screw
202-2014	2.0mm x 14mm Screw
202-2016	2.0mm x 16mm Screw
202-2018	2.0mm x 18mm Screw
202-2020	2.0mm x 20mm Screw
202-2022	2.0mm x 22mm Screw

### 2.4 Standard Screws

P/N	Description
206-2404	2.4mm x 4mm Screw
206-2405	2.4mm x 5mm Screw
206-2406	2.4mm x 6mm Screw
206-2408	2.4mm x 8mm Screw
206-2410	2.4mm x 10mm Screw
206-2412	2.4mm x 12mm Screw
206-2414	2.4mm x 14mm Screw
206-2416	2.4mm x 16mm Screw
206-2418	2.4mm x 18mm Screw
206-2420	2.4mm x 20mm Screw
206-2422	2.4mm x 22mm Screw



### 2.0 Auto-Drive® Screws

211-2004	2.0mm x 4mm Auto-Drive® Screw
211-2005	2.0mm x 5mm Auto-Drive® Screw
211-2006	2.0mm x 6mm Auto-Drive® Screw
211-2008	2.0mm x 8mm Auto-Drive® Screw

### 2.0 MMF Auto-Drive® Screws

209-2008	2.0mm x 8mm MMF Auto-Drive® Screw
209-2011	2.0mm x 11mm MMF Auto-Drive® Screw
209-2014	2.0mm x 14mm MMF Auto-Drive® Screw

### 2.4 MMF Screws

207-2412	2.4mm x 12mm MMF Screw
207-2414	2.4mm x 14mm MMF Screw
207-2416	2.4mm x 16mm MMF Screw
207-2418	2.4mm x 18mm MMF Screw

## 2.0/2.4mm Angle Locking Screws

### 2.0 Angle Locking Screws

225-2004	2.0mm x 4mm Angle Locking Standard Locking Screw
225-2005	2.0mm x 5mm Angle Locking Standard Locking Screw
225-2006	2.0mm x 6mm Angle Locking Standard Locking Screw
225-2008	2.0mm x 8mm Angle Locking Standard Locking Screw
225-2010	2.0mm x 10mm Angle Locking Standard Locking Screw
225-2012	2.0mm x 12mm Angle Locking Standard Locking Screw
225-2014	2.0mm x 14mm Angle Locking Standard Locking Screw
225-2016	2.0mm x 16mm Angle Locking Standard Locking Screw
225-2018	2.0mm x 18mm Angle Locking Standard Locking Screw

### 2.4 Angle Locking Screws

225-2406	2.4mm x 6mm Angle Locking Standard Locking Screw
225-2408	2.4mm x 8mm Angle Locking Standard Locking Screw
225-2410	2.4mm x 10mm Angle Locking Standard Locking Screw
225-2412	2.4mm x 12mm Angle Locking Standard Locking Screw
225-2414	2.4mm x 14mm Angle Locking Standard Locking Screw
225-2416	2.4mm x 16mm Angle Locking Standard Locking Screw
225-2418	2.4mm x 18mm Angle Locking Standard Locking Screw
225-2420	2.4mm x 20mm Angle Locking Standard Locking Screw
225-2422	2.4mm x 12mm Angle Locking Standard Locking Screw

### 2.3 Angle Locking Safety Screws

225-2304	2.3mm X 4mm Angle Locking Safety Screw
225-2305	2.3mm X 5mm Angle Locking Safety Screw
225-2306	2.3mm X 6mm Angle Locking Safety Screw
225-2308	2.3mm X 8mm Angle Locking Safety Screw
225-2310	2.3mm X 10mm Angle Locking Safety Screw
225-2312	2.3mm X 12mm Angle Locking Safety Screw
225-2314	2.3mm X 14mm Angle Locking Safety Screw
225-2316	2.3mm X 16mm Angle Locking Safety Screw
225-2318	2.3mm X 18mm Angle Locking Safety Screw

### 2.7 Angle Locking Safety Screws

225-2706	2.7mm X 6mm Angle Locking Safety Screw
225-2708	2.7mm X 8mm Angle Locking Safety Screw
225-2710	2.7mm X 10mm Angle Locking Safety Screw
225-2712	2.7mm X 12mm Angle Locking Safety Screw
225-2714	2.7mm X 14mm Angle Locking Safety Screw
225-2716	2.7mm X 16mm Angle Locking Safety Screw
225-2718	2.7mm X 18mm Angle Locking Safety Screw
225-2720	2.7mm X 20mm Angle Locking Safety Screw
225-2722	2.7mm X 22mm Angle Locking Safety Screw

### 2.0 Angle Locking Auto-Drive® Screws

223-2004	2.0mm x 4mm Angle Locking Autodrive Locking Screw
223-2005	2.0mm x 5mm Angle Locking Autodrive Locking Screw
223-2006	2.0mm x 6mm Angle Locking Autodrive Locking Screw
223-2008	2.0mm x 8mm Angle Locking Autodrive Locking Screw

### 2.4 Angle Locking Auto-Drive® Screws

223-2406	2.4mm x 6mm Angle Locking Autodrive Locking Screw
223-2408	2.4mm x 8mm Angle Locking Autodrive Locking Screw

## 2.0mm Angle Locking Fracture Plates



P/N	Description
214-2001	Medium 4 Hole BSSO Plate
214-2002	Long 4 Hole BSSO Plate
214-2003	Short 4 Hole BSSO Plate



P/N	Description
214-2007	9 Hole Curved Plate
214-2008	7 Hole Curved Plate
214-2010	5 Hole Curved Plate



214-2004	Comminution Plate
----------	-------------------



214-2011	Short 6 Hole BSSO Plate
214-2012	Medium 6 Hole BSSO Plate




214-2005	18 Hole Straight Plate
----------	------------------------



214-2017	2x2 Angle Plate
214-2018	3x3 Angle Plate



214-2006	4 Hole Straight Locking Plate
214-2009	Mini, 6 Hole Straight Plate, 1.0mm



214-2013	Mini, Locking Strut Plate, Curved, 2 x 4 Hole
214-2014	Mini, Locking Strut Plate, Curved, 2 x 8 Hole



214-2050	Condyle Plate, 4 Hole
214-2051	Condyle Plate, 5 Hole

## 2.4mm Angle Locking Fracture Plates



214-2401	Fracture Plate, 4 Hole , 32mm
214-2402	Fracture Plate, 4 Hole , 34mm
214-2403	Fracture Plate, 4 Hole , 37mm



214-2407	Fracture Plate, 8 Hole , 59mm
----------	-------------------------------



214-2404	Fracture Plate, 6 Hole , 47mm
214-2405	Fracture Plate, 6 Hole , 49mm
214-2406	Fracture Plate, 6 Hole , 52mm



214-2408	2 x 2 Hole Angled Fracture Plate
214-2409	3 x 3 Hole Angled Fracture Plate



214-2410	Rigid Comminuted Fracture Plate, Locking
----------	--

# Instruments

## Tray 1



220-0566 2.0/2.4mm Fracture Plate Bending Plier, Ratchet




220-0567 2.0/2.4mm Fracture Plate Bending Plier



220-0575 Universal Plate Bender




220-0572 Depth Gauge, M4/M3-X/Mandible



220-0584 Reconstruction Plate Round Cutter Assembly



220-0585 Reconstruction Plate Flanged Cutter Assembly



220-0231 Reduction Forceps



220-0018 Ratcheting Screwdriver

## Tray 2



220-0586 2.4mm Neutral Drill Guide



220-0582 Trocar, Short Pointed



220-0581 Trocar, Long Pointed



220-0599 Drill Guide, Neutral, Short



220-0583 Drill Guide, Neutral, Long



220-0556 2.4mm, Locking Drill Guide



220-0562 Drill Guide, 2.4mm Locking Plate, Blunt Cannula



220-0557 2.0mm, Locking Drill Guide



220-0517 Trocar, Blunt Cannula



220-0513 Drill Guide, Neutral, Blunt Cannula



220-0511 Drill Guide, Compression, Blunt Cannula



220-0570 Drill Guide, 2.0mm Locking Plate, Blunt Cannula



220-0578 Modular Handle, Cannula




220-0712 Cheek Retractor, u-shaped, Trauma Tray



220-0593 Bone Manipulation Screw "T" Handle



220-0729 Bone Manipulation Screw Disposable Tip



220-0577 Cheek Retractor, Clamp



220-0580 Modular Cannula, Long Pointed



220-0579 Modular Cannula, Short Pointed



220-0589 Modular Cannula, Mandible

## Tray 3



220-0077 Rigid Mini Plate Cutter



220-0046 Calibrated Micro/Mini Plate Bender




220-0049 Plate Bending Forceps



220-0518 TAPERLOCK™ BODY, MANDIBLE, FIXED




220-0019 TAPERLOCK™ Screwdriver Body



220-0027 Small Grasping Forceps



220-0590 1.2mm Plate Holder



220-0591 1.6mm Plate Holder



220-0592 2.0mm Plate Holder



220-0043 3 Prong Mini Plate Bender




220-0574 3 Prong MidFace/Micro Plate Bender




220-0024 Right Angle Plate Bender

## Auxiliary Tray

220-0620-05 Auxiliary Instrument Tray





*Rethinking Possibilities, Reshaping Lives*

These materials contain information about products that may or may not be available in any particular country or may be available under different trademarks in different countries. The products may be approved or cleared by governmental regulatory organizations for sale or use with different indications or restrictions in different countries. Products may not be approved for use in all countries. Nothing contained in these materials should be construed as a promotion or solicitation for any product or for the use of any product in a particular way that is not authorized under the laws and regulations of the country where the reader is located. Nothing in these materials should be construed as a representation or warranty as to the efficacy or quality of any product, nor the appropriateness of any product to treat any specific condition. Physicians may direct questions about the availability and use of the products described in these materials to their authorized distributor. Specific questions patients may have about the use of the products described in these materials or the appropriateness for their own conditions should be directed to their own physician.

Refer to the provided instructions for use for the complete indications, contraindications, warnings, and instructions for use.

OsteoMed LLC is a wholly owned subsidiary of Acumed LLC.

OsteoMed®, AutoDrive®, CFx®, are registered trademarks of OsteoMed LLC.  
Acumed® is registered trademark of Acumed LLC.



[www.acumed.net](http://www.acumed.net)

Acumed USA Campus  
5885 NE Cornelius Pass Road  
Hillsboro, OR 97124  
Office: +1.888.627.9957  
Office: +1.503.627.9957

OsteoMed USA Campus  
3885 Arapaho Road  
Addison, TX 75001  
Office: +1.800.456.7779  
Worldwide: 001.972.677.4600

Acumed Iberica Campus  
C. de Álvaro Caballero, 14,  
28023 Madrid, Spain  
Office: +34.913.51.63.57